


2013.1



 **Movex**
Industrial Innovations

www.movexii.com



Chain sprockets

Ingranaggi

L'ingranaggio è uno dei più importanti componenti di un impianto di trasporto. Una ruota ben disegnata assicura una migliore performance e una maggior durata del trasportatore. Offriamo una vasta gamma di ruote fresate e stampate per soddisfare ogni necessità applicativa. Gli ingranaggi Movex nascono da anni di esperienza specifica ed offriamo la più avanzata soluzione:

1. Tutte le ruote sono concepite in due pezzi per un più facile montaggio/smontaggio sull'albero.
2. Tutte le superfici sono lisce per prevenire qualsiasi deposito.
3. I nostri ingranaggi sono ottenuti dal miglior poliammide per assicurare la più lunga durata e resistenza all'usura.
4. Il profilo del dente è specificamente disegnato per offrire la maggior superficie di contatto con la catena e/o il tappeto riducendo la forza esercitata su ciascun dente consentendo una vita più lunga dell'ingranaggio. Il design è sviluppato inoltre tenendo conto dell'allungamento naturale di catena/tappeto, garantendo agli stessi di performare senza problemi entro la soglia di tolleranza dell'allungamento.
5. Le viti in acciaio inossidabile vengono accoppiate con dadi autobloccanti e/o inserti nichelati per consentire un più facile smontaggio/riasssemblaggio anche dopo un lungo periodo dall'installazione.

Sprockets

The sprocket is one of the most important parts of a conveyor. A well designed sprocket will ensure that the conveyor runs smoothly and efficiently for a long time. We have a wide variety of machined and molded sprockets to cover all application needs. Movex Sprockets are designed based on many years of experience to provide you the ultimate solution.

1. All our sprockets are designed split so that it can be installed and uninstalled from the shaft easily.
2. All surfaces and edges from the sprockets are smooth to prevent dirt depositing easily. This makes cleaning easier, maintaining a high hygiene standard.
3. Our sprockets are machined from the best polyamide material to ensure longer wear life.
4. The sprocket teeth are uniquely designed to provide maximum contact surface with the chain henceforth giving lowest applied force per tooth. This ensures longer wear life for the sprocket. In addition the sprockets are designed in such a way that chain elongation tolerances can be absorbed. This will assure a life-long positive engagement between chain and sprocket.
5. Screws used to assemble the sprockets are paired with nickel or zinc plated steel nuts to ensure easy removal.


Kettenräder

Das Kettenrad ist eines der wichtigsten Komponenten in Transportanlagen. Eine intelligentes Design gewährleistet einen ruhigen Lauf und Effizienz für einen langen Zeitraum. Wir bieten ein umfangreiches Programm in gefräster oder gespritzter Ausführung um Ihren Anforderungen entgegen zu kommen. Movex Kettenräder basieren auf jahrelangen Erfahrungen aus den verschiedenen Industrien und vereinen diese Erkenntnisse in einem innovativem Design.

1. Alle unsere Kettenräder sind zweigeteilt, d.h. einfache Montage und Demontage ohne großen Zeitaufwand
2. Alle Oberflächen sind glatt um Schmutzablagerungen zu vermeiden dies erleichtert eine schnelle und einfache Reinigung.
3. Die Materialien sind so gewählt um eine längere Lebensdauer bieten zu können
4. Die Zahnform ist so gewählt um maximale Kontaktfläche mit der Kette / Mattenkette zu erzielen. Dies ermöglicht eine länger Lebensdauer des Kettenrades. Die Ausführung ist so gewählt das eine Kettenlänge vom Kettenrad aufgenommen werden kann ohne sofort die Kette tauschen zu müssen.
5. Schrauben aus Edelstahl verbunden mit einer selbstsichernde Mutter aus vernickeltem Stahl. Dies garantiert eine problemlose Demontage auch noch nach Jahren.



Technical information tolerances and dimensions




SPLIT SPROCKET / ISO 773 - DIN 6885

ØD		A		H	
Nom.	Tol.	Nom.	Tol.	Nom.	Tol.
20	P9	6	P9	22.8	+0.1/0
25	P9	8	P9	28.3	+0.2/0
30	P9	8	P9	33.3	+0.2/0
35	P9	10	P9	38.3	+0.2/0
40	P9	12	P9	43.3	+0.2/0
45	P9	14	P9	48.8	+0.2/0
50	P9	14	P9	53.8	+0.2/0


SPLT SPROCKET "PLUS" VERSION

D		A		H	
Nom.	Tol.	Nom.	Tol.	Nom.	Tol.
20	+0.25/+0.15	6	+0.2/+0.3	22.8	+0.2/+0.4
25	+0.25/+0.15	8	+0.2/+0.3	28.3	+0.2/+0.4
30	+0.25/+0.15	8	+0.2/+0.3	33.3	+0.2/+0.4
35	+0.25/+0.15	10	+0.2/+0.3	38.3	+0.2/+0.4
40	+0.25/+0.15	12	+0.2/+0.3	43.3	+0.2/+0.4
45	+0.25/+0.15	14	+0.2/+0.3	48.8	+0.2/+0.4
50	+0.25/+0.15	14	+0.2/+0.3	53.8	+0.2/+0.4



IDLER

Ød	
Nom.	Tol.
20	+0.3/+0.4
25	+0.3/+0.4
30	+0.3/+0.4
35	+0.3/+0.4
40	+0.3/+0.4
45	+0.3/+0.4
50	+0.3/+0.4



SQUARE BORE

AxA	
Nom.	Tol.
20x20	+0.3/+0.5
25x25	+0.3/+0.5
30x30	+0.3/+0.5
35x35	+0.3/+0.5
40x40	+0.3/+0.5
45x45	+0.3/+0.5
50x50	+0.3/+0.5




Chain sprockets

Series 815  pag. 26	Series 815  pag. 26	Series 815  pag. 27	Series 815  pag. 27	Series 881  pag. 28	Series 881  pag. 28
Series 881  pag. 29	Series 881  pag. 29	Series 805  pag. 30	Series 805  pag. 30	Series 8157  pag. 31	Series 8157  pag. 31
Series 820  pag. 32	Series 820  pag. 32	Series 820  pag. 33	Series 820  pag. 33	Series 880  pag. 34	Series 880  pag. 34
Series 880  pag. 35	Series 880  pag. 35	Series 882  pag. 36	Series 882  pag. 36	Series 882  pag. 37	Series 882  pag. 37
Series 512  pag. 38	Series 512  pag. 38	Series 815  pag. 39	Series 8157  pag. 39	Series CC 600  pag. 40	

Materiale:	Material:	Materialien:
Poliammide	Polyamide	Polyamid
Viti: Acciaio inox	Screws: Stainless steel	Schrauben: Edelstahl
Dadi: ferro zincato	Nuts: zinc plated steel	Mutter: verzinkter Stahl




Ruota traino divisa, fresata / Split drive sprocket, machined / geteiltes Antriebskettenrad, gefräst



Part	Article-Nr.	Z-	Bore	PD	OD
501	50101	17	25	105,5	103,9
501	50102	30			
501	50103	35			
501	50104	40			
502	50201	19	25	117,3	117,0
502	50202	30			
502	50203	35			
502	50204	40			
503	50301	21	25	129,3	129,0
503	50302	30			
503	50303	35			
503	50304	40			
504	50401	23	25	141,2	142,0
504	50402	30			
504	50403	35			
504	50404	40			
505	50501	25	25	153,2	154,0
505	50502	30			
505	50503	35			
505	50504	40			
506	50601	27	25	165,2	166,8
506	50602	30			
506	50603	35			
506	50604	40			
507	50701	29	25	177,2	178,5
507	50702	30			
507	50703	35			
507	50704	40			



Ruota rinvio divisa, fresata / Split idler sprocket, machined / geteiltes Umlenkrad, gefräst




Part	Article-Nr.	Z-	Bore	PD	OD
501	50150	17	18*	105,5	103,9
501	50151	25			
501	50152	30			
501	50153	35			
501	50154	40			
502	50250	19	18*	117,3	117,0
502	50251	25			
502	50252	30			
502	50253	35			
502	50254	40			
503	50350	21	18*	129,3	129,0
503	50351	25			
503	50352	30			
503	50353	35			
503	50354	40			
504	50450	23	18*	141,2	142,0
504	50451	25			
504	50452	30			
504	50453	35			
504	50454	40			
505	50550	25	18*	153,2	154,0
505	50551	25			
505	50552	30			
505	50553	35			
505	50554	40			
506	50650	27	18*	165,2	166,8
506	50651	25			
506	50652	30			
506	50653	35			
506	50654	40			
507	50750	29	18*	177,2	178,5
507	50751	25			
507	50752	30			
507	50753	35			
507	50754	40			

Materiale:	Material:	Materialien:
Poliammide rinforzato	Polyamide reinforced	Verstärktes Polyamid
Viti: Acciaio inox	Screws: Stainless steel	Schrauben: Edelstahl
Dadi: ottone nichelato	Nuts: nickel plated brass	Mutter: Messing vernickelt


Ruota traino divisa, stampata / Split drive sprocket, molded / geteiltes Antriebskettenrad, gespritzt

Part	Article-Nr.	Z-	Bore	PD	OD
508	50801	21	25	129,3	129,0
508	50802		30		
508	50803		35		
508	50804		40		
509	50901	23	25	141,2	142,0
509	50902		30		
509	50903		35		
509	50904		40		
510	51001	25	25	153,2	154,0
510	51002		30		
510	51003		35		
510	51004		40		



Ruota rinvio divisa, stampata / Split idler sprocket, molded / geteiltes Umlenkrad, gespritzt



Part	Article-Nr.	Z-	Bore	PD	OD
508	50851	21	25	129,3	129,0
508	50852		30		
508	50853		35		
508	50854		40		
509	50951	23	25	141,2	142,0
509	50952		30		
509	50953		35		
509	50954		40		
510	51051	25	25	153,2	154,0
510	51052		30		
510	51053		35		
510	51054		40		



Materiale:	Material:	Materialien:
Poliammide	Polyamide	Polyamid
Viti: Acciaio inox	Screws: Stainless steel	Schrauben: Edelstahl
Dadi: ferro zincato	Nuts: zinc plated steel	Mutter: verzinkter Stahl





Ruota traino divisa, fresata / Split drive sprocket, machined / geteiltes Antriebskettenrad, gefräst



Part	Article-Nr.	Z-	Bore	PD	OD
511	51101	17	25	105,5	103,9
511	51102		30		
511	51103		35		
511	51104		40		
512	51201	19	25	117,3	117,0
512	51202		30		
512	51203		35		
512	51204		40		
513	51301	21	25	129,3	129,0
513	51302		30		
513	51303		35		
513	51304		40		
514	51401	23	25	141,2	142,0
514	51402		30		
514	51403		35		
514	51404		40		
515	51501	25	25	153,2	154,0
515	51502		30		
515	51503		35		
515	51504		40		
516	51601	27	25	165,2	166,8
516	51602		30		
516	51603		35		
516	51604		40		
517	51701	29	25	177,2	178,5
517	51702		30		
517	51703		35		
517	51704		40		



Ruota rinvio divisa, fresata / Split idler sprocket, machined / geteiltes Umlenkrad, gefräst




Part	Article-Nr.	Z-	Bore	PD	OD
511	51150	17	18*	105,5	103,9
511	51151		25		
511	51152		30		
511	51153		35		
511	51154		40		
512	51250	19	18*	117,3	117,0
512	51251		25		
512	51252		30		
512	51253		35		
512	51254		40		
513	51350	21	18*	129,3	129,0
513	51351		25		
513	51352		30		
513	51353		35		
513	51354		40		
514	51450	23	18*	141,2	142,0
514	51451		25		
514	51452		30		
514	51453		35		
514	51454		40		
515	51550	25	18*	153,2	154,0
515	51551		25		
515	51552		30		
515	51553		35		
515	51554		40		
516	51650	27	18*	165,2	166,8
516	51651		25		
516	51652		30		
516	51653		35		
516	51654		40		
517	51750	29	18*	177,2	178,5
517	51751		25		
517	51752		30		
517	51753		35		
517	51754		40		

Materiale:	Material:	Materialien:
Poliammide rinforzato	Polyamide reinforced	Verstärktes Polyamid
Viti: Acciaio inox	Screws: Stainless steel	Schrauben: Edelstahl
Dadi: ottone nichelato	Nuts: nickel plated brass	Mutter: Messing vernickelt



Ruota traino divisa, stampata / Split drive sprocket, molded / geteiltes Antriebskettenrad, gespritzt

Part	Article-Nr.	Z-	Bore	PD	OD
518	51801	21	25	129,3	129,0
518	51802		30		
518	51803		35		
518	51804		40		
519	51901	23	25	141,2	142,0
519	51902		30		
519	51903		35		
519	51904		40		
520	52001	25	25	153,2	154,0
520	52002		30		
520	52003		35		
520	52004		40		



Ruota rinvio divisa, stampata / Split idler sprocket, molded / geteiltes Umlenkrad, gespritzt


Part	Article-Nr.	Z-	Bore	PD	OD
518	51851	21	25	129,3	129,0
518	51852		30		
518	51853		35		
518	51854		40		
519	51951	23	25	141,2	142,0
519	51952		30		
519	51953		35		
519	51954		40		
520	52051	25	25	153,2	154,0
520	52052		30		
520	52053		35		
520	52054		40		



Materiale:	Material:	Materialien:
Poliammide	Polyamide	Polyamid
Viti: Acciaio inox	Screws: Stainless steel	Schrauben: Edelstahl
Dadi: ferro zincato	Nuts: zinc plated steel	Mutter: verzinkter Stahl




Ruota traino divisa, fresata / Split drive sprocket, machined / geteiltes Antriebskettenrad, gefräst



Part	Article-Nr.	Z-	Bore	PD	OD
521	52101	17	25	105,5	103,9
521	52102		30		
521	52103		35		
521	52104		40		
522	52201	19	25	117,3	117,0
522	52202		30		
522	52203		35		
522	52204		40		
523	52301	21	25	129,3	129,0
523	52302		30		
523	52303		35		
523	52304		40		
524	52401	23	25	141,2	142,0
524	52402		30		
524	52403		35		
524	52404		40		
525	52501	25	25	153,2	154,0
525	52502		30		
525	52503		35		
525	52504		40		
526	52601	27	25	165,2	166,8
526	52602		30		
526	52603		35		
526	52604		40		
527	52701	29	25	177,2	178,5
527	52702		30		
527	52703		35		
527	52704		40		



Ruota rinvio divisa, fresata / Split idler sprocket, machined / geteiltes Umlenkrad, gefräst




Part	Article-Nr.	Z-	Bore	PD	OD
521	52150	17	18*	105,5	103,9
521	52151		25		
521	52152		30		
521	52153		35		
521	52154		40		
522	52250	19	18*	117,3	117,0
522	52251		25		
522	52252		30		
522	52253		35		
522	52254		40		
523	52350	21	18*	129,3	129,0
523	52351		25		
523	52352		30		
523	52353		35		
523	52354		40		
524	52450	23	18*	141,2	142,0
524	52451		25		
524	52452		30		
524	52453		35		
524	52454		40		
525	52550	25	18*	153,2	154,0
525	52551		25		
525	52552		30		
525	52553		35		
525	52554		40		
526	52650	27	18*	165,2	166,8
526	52651		25		
526	52652		30		
526	52653		35		
526	52654		40		
527	52750	29	18*	177,2	178,5
527	52751		25		
527	52752		30		
527	52753		35		
527	52754		40		

Materiale:	Material:	Materialien:
Poliammide	Polyamide	Polyamid
Viti: Acciaio inox	Screws: Stainless steel	Schrauben: Edelstahl
Dadi: ferro zincato	Nuts: zinc plated steel	Mutter: verzinkter Stahl



Ruota traino divisa, fresata / Split drive sprocket, machined / geteiltes Antriebskettenrad, gefräst



Part	Article-Nr.	Z-	Bore	PD	OD
528	52801	17	25	105,5	103,9
528	52802		30		
528	52803		35		
528	52804		40		
529	52901	19	25	117,3	117,0
529	52902		30		
529	52903		35		
529	52904		40		
530	53001	21	25	129,3	129,0
530	53002		30		
530	53003		35		
530	53004		40		
531	53101	23	25	141,2	142,0
531	53102		30		
531	53103		35		
531	53104		40		
532	53201	25	25	153,2	154,0
532	53202		30		
532	53203		35		
532	53204		40		
533	53301	27	25	165,2	166,8
533	53302		30		
533	53303		35		
533	53304		40		
534	53401	29	25	177,2	178,5
534	53402		30		
534	53403		35		
534	53404		40		



Ruota rinvio divisa, fresata / Split idler sprocket, machined / geteiltes Umlenkrad, gefräst



Part	Article-Nr.	Z-	Bore	PD	OD
528	52850	17	18*	105,5	103,9
528	52851		25		
528	52852		30		
528	52853		35		
528	52854		40		
529	52950	19	18*	117,3	117,0
529	52951		25		
529	52952		30		
529	52953		35		
529	52954		40		
530	53050	21	18*	129,3	129,0
530	53051		25		
530	53052		30		
530	53053		35		
530	53054		40		
531	53150	23	18*	141,2	142,0
531	53151		25		
531	53152		30		
531	53153		35		
531	53154		40		
532	53250	25	18*	153,2	154,0
532	53251		25		
532	53252		30		
532	53253		35		
532	53254		40		
533	53350	27	18*	165,2	166,8
533	53351		25		
533	53352		30		
533	53353		35		
533	53354		40		
534	53450	29	18*	177,2	178,5
534	53451		25		
534	53452		30		
534	53453		35		
534	53454		40		





Ruota traino divisa, fresata / Split drive sprocket, machined / geteiltes Antriebskettenrad, gefräst

Part	Article-Nr.	Z-	Bore	PD	OD
535	53501	17	25	105,5	103,9
535	53502		30		
535	53503		35		
535	53504		40		
536	53601	19	25	117,3	117,0
536	53602		30		
536	53603		35		
536	53604		40		
537	53701	21	25	129,3	129,0
537	53702		30		
537	53703		35		
537	53704		40		
538	53801	23	25	141,2	142,0
538	53802		30		
538	53803		35		
538	53804		40		
539	53901	25	25	153,2	154,0
539	53902		30		
539	53903		35		
539	53904		40		
540	54001	27	25	165,2	166,8
540	54002		30		
540	54003		35		
540	54004		40		
541	54101	29	25	177,2	178,5
541	54102		30		
541	54103		35		
541	54104		40		





Ruota rinvio divisa, fresata / Split idler sprocket, machined / geteiltes Umlenkrad, gefräst

Part	Article-Nr.	Z-	Bore	PD	OD
535	53550	17	18*	105,5	103,9
535	53551		25		
535	53552		30		
535	53553		35		
535	53554		40		
536	53650	19	18*	117,3	117,0
536	53651		25		
536	53652		30		
536	53653		35		
536	53654		40		
537	53750	21	18*	129,3	129,0
537	53751		25		
537	53752		30		
537	53753		35		
537	53754		40		
538	53850	23	18*	141,2	142,0
538	53851		25		
538	53852		30		
538	53853		35		
538	53854		40		
539	53950	25	18*	153,2	154,0
539	53951		25		
539	53952		30		
539	53953		35		
539	53954		40		
540	54050	27	18*	165,2	166,8
540	54051		25		
540	54052		30		
540	54053		35		
540	54054		40		
541	54150	29	18*	177,2	178,5
541	54151		25		
541	54152		30		
541	54153		35		
541	54154		40		

Materiale:	Material:	Materialien:
Poliammide rinforzato	Polyamide reinforced	Verstärktes Polyamid
Viti: Acciaio inox	Screws: Stainless steel	Schrauben: Edelstahl
Dadi: ottone nichelato	Nuts: nickel plated brass	Mutter: Messing vernickelt



Ruota traino divisa, stampata / Split drive sprocket, molded / geteiltes Antriebskettenrad, gespritzt

Part	Article-Nr.	Z-	Bore	PD	OD
542	54201	21	25	129,3	129,0
542	54202		30		
542	54203		35		
542	54204		40		
543	54301	23	25	141,2	142,0
543	54302		30		
543	54303		35		
543	54304		40		
544	54401	25	25	153,2	154,0
544	54402		30		
544	54403		35		
544	54404		40		




Ruota rinvio divisa, stampata / Split idler sprocket, molded / geteiltes Umlenkrad, gespritzt

Part	Article-Nr.	Z-	Bore	PD	OD
542	54251	21	25	129,3	129,0
542	54252		30		
542	54253		35		
542	54254		40		
543	54351	23	25	141,2	142,0
543	54352		30		
543	54353		35		
543	54354		40		
544	54451	25	25	153,2	154,0
544	54452		30		
544	54453		35		
544	54454		40		





Ruota traino divisa, fresata / Split drive sprocket, machined / geteiltes Antriebskettenrad, gefräst




Materiale:	Material:	Materialien:
Poliammide	Polyamide	Polyamid
Viti: Acciaio inox	Screws: Stainless steel	Schrauben: Edelstahl
Dadi: ferro zincato	Nuts: zinc plated steel	Mutter: verzinkter Stahl

Part	Article-Nr.	Z-	Bore	PD	OD
545	54501	9	25	111,4	110,0
545	54502		30		
545	54503		35		
545	54504		40		
546	54601	10	25	123,3	122,0
546	54602		30		
546	54603		35		
546	54604		40		
547	54701	11	25	135,2	135,0
547	54702		30		
547	54703		35		
547	54704		40		
548	54801	12	25	147,2	147,3
548	54802		30		
548	54803		35		
548	54804		40		



Ruota rinvio divisa, fresata / Split idler sprocket, machined / geteiltes Umlenkrad, gefräst




Part	Article-Nr.	Z-	Bore	PD	OD
545	54550	9	18*	111,4	110,0
545	54551		25		
545	54552		30		
545	54553		35		
545	54554		40		
546	54650	10	18*	123,3	122,0
546	54651		25		
546	54652		30		
546	54653		35		
546	54654		40		
547	54750	11	18*	135,2	135,0
547	54751		25		
547	54752		30		
547	54753		35		
547	54754		40		
548	54850	12	18*	147,2	147,3
548	54851		25		
548	54852		30		
548	54853		35		
548	54854		40		

Materiale:	Material:	Materialien:
Poliammide rinforzato	Polyamide reinforced	Verstärktes Polyamid
Viti: Acciaio inox	Screws: Stainless steel	Schrauben: Edelstahl
Dadi: ottone nichelato	Nuts: nickel plated brass	Mutter: Messing vernickelt


Ruota traino divisa, stampata / Split drive sprocket, molded / geteiltes Antriebskettenrad, gespritzt


Part	Article-Nr.	Z-	Bore	PD	OD
549	54901	10	25	123,2	122,0
549	54902		30		
549	54903		35		
549	54904		40		
550	55001	12	25	147,2	147,3
550	55002		30		
550	55003		35		
550	55004		40		



Ruota rinvio divisa, stampata / Split idler sprocket, molded / geteiltes Umlenkrad, gespritzt


Part	Article-Nr.	Z-	Bore	PD	OD
549	54951	10	25	123,2	122,0
549	54952		30		
549	54953		35		
549	54954		40		
550	55051	12	25	147,2	147,3
550	55052		30		
550	55053		35		
550	55054		40		





Ruota traino divisa, fresata / Split drive sprocket, machined / geteiltes Antriebskettenrad, gefräst

Part	Article-Nr.	Z-	Bore	PD	OD
551	55101	9	25	111,4	112,0
551	55102		30		
551	55103		35		
551	55104		40		
552	55201	10	25	123,2	125,0
552	55202		30		
552	55203		35		
552	55204		40		
553	55301	11	25	135,2	137,0
553	55302		30		
553	55303		35		
553	55304		40		
554	55401	12	25	147,2	149,0
554	55402		30		
554	55403		35		
554	55404		40		





Ruota rinvio divisa, fresata / Split idler sprocket, machined / geteiltes Umlenkrad, gefräst

Part	Article-Nr.	Z-	Bore	PD	OD
551	55150	9	18*	111,4	112,0
551	55151		25		
551	55152		30		
551	55153		35		
551	55154		40		
552	55250	10	18*	123,2	125,0
552	55251		25		
552	55252		30		
552	55253		35		
552	55254		40		
553	55350	11	18*	135,2	137,0
553	55351		25		
553	55352		30		
553	55353		35		
553	55354		40		
554	55450	12	18*	147,2	149,0
554	55451		25		
554	55452		30		
554	55453		35		
554	55454		40		

Materiale:	Material:	Materialien:
Poliammide rinforzato	Polyamide reinforced	Verstärktes Polyamid
Viti: Acciaio inox	Screws: Stainless steel	Schrauben: Edelstahl
Dadi: ottone nichelato	Nuts: nickel plated brass	Mutter: messing vernickelt



Ruota traino divisa, stampata / Split drive sprocket, molded / geteiltes Antriebskettenrad, gespritzt



Part	Article-Nr.	Z-	Bore	PD	OD
555	55501	10	25	123,2	125,0
555	55502		30		
555	55503		35		
555	55504		40		
556	55601	12	25	147,2	149,0
556	55602		30		
556	55603		35		
556	55604		40		



Ruota rinvio divisa, stampata / Split idler sprocket, molded / geteiltes Umlenkrad, gespritzt

Part	Article-Nr.	Z-	Bore	PD	OD
555	55551	10	25	123,2	125,0
555	55552		30		
555	55553		35		
555	55554		40		
556	55651	12	25	147,2	149,0
556	55652		30		
556	55653		35		
556	55654		40		





Ruota traino divisa, fresata / Split drive sprocket, machined / geteiltes Antriebskettenrad, gefräst

Part	Article-Nr.	Z-	Bore	PD	OD
557	55701	13	25	108,0	106,1
557	55702		30		
557	55703		35		
557	55704		40		
558	55801	15	25	124,0	122,2
558	55802		30		
558	55803		35		
558	55804		40		
559	55901	17	25	138,2	138,2
559	55902		30		
559	55903		35		
559	55904		40		
560	56001	18	25	146,3	146,4
560	56002		30		
560	56003		35		
560	56004		40		
561	56101	19	25	154,3	155,7
561	56102		30		
561	56103		35		
561	56104		40		
562	56201	21	25	170,4	173,0
562	56202		30		
562	56203		35		
562	56204		40		
563	56301	23	25	186,5	190,0
563	56302		30		
563	56303		35		
563	56304		40		
564	56401	25	25	202,7	204,0
564	56402		30		
564	56403		35		
564	56404		40		


Ruota rinvio divisa, fresata / Split idler sprocket, machined / geteiltes Umlenkrad, gefräst

Part	Article-Nr.	Z-	Bore	PD	OD
557	55750	13	18*	108,0	106,1
557	55751		25		
557	55752		30		
557	55753		35		
557	55754		40		
558	55850	15	18*	124,0	122,2
558	55851		25		
558	55852		30		
558	55853		35		
558	55854		40		
559	55950	17	18*	138,2	138,2
559	55951		25		
559	55952		30		
559	55953		35		
559	55954		40		
560	56050	18	18*	146,3	146,4
560	56051		25		
560	56052		30		
560	56053		35		
560	56054		40		
561	56150	19	18*	154,3	155,7
561	56151		25		
561	56152		30		
561	56153		35		
561	56154		40		
562	56250	21	18*	170,4	173,0
562	56251		25		
562	56252		30		
562	56253		35		
562	56254		40		
563	56350	23	18*	186,5	190,0
563	56351		25		
563	56352		30		
563	56353		35		
563	56354		40		
564	56450	25	18*	202,7	204,0
564	56451		25		
564	56452		30		
564	56453		35		
564	56454		40		

Materiale:	Material:	Materialien:
Poliammide	Polyamide	Polyamid
Viti: Acciaio inox	Screws: Stainless steel	Schrauben: Edelstahl
Dadi: ferro zincato	Nuts: zinc plated steel	Mutter: verzinkter Stahl
Flange: Acciaio inox	Guides: Stainless steel	Bordscheibe: Edelstahl


815 - Ruota flangiata divisa, fresata / Split sprocket with guides, machined / Geteiltes Kettenrad mit Bordscheibe, gefräst

Part	Article-Nr.	Z-	Bore	PD	OD	Ø screw
503	50301G	21	25	129,3	129,0	104,0
503	50302G		30			
503	50303G		35			
503	50304G		40			
504	50401G	23	25	141,2	142,0	116,0
504	50402G		30			
504	50403G		35			
504	50404G		40			
505	50501G	25	25	153,2	154,0	128,0
505	50502G		30			
505	50503G		35			
505	50504G		40			



8157 - Ruota flangiata divisa, fresata / Split sprocket with guides, machined / Geteiltes Kettenrad mit Bordscheibe, gefräst

Part	Article-Nr.	Z-	Bore	PD	OD	Ø screw
530	53001G	21	25	129,3	129,0	104,0
530	53002G		30			
530	53003G		35			
530	53004G		40			
531	53101G	23	25	141,2	142,0	116,0
531	53102G		30			
531	53103G		35			
531	53104G		40			
532	53201G	25	25	153,2	154,0	128,0
532	53202G		30			
532	53203G		35			
532	53204G		40			




Materiale:	Material:	Materialien:
Poliammide	Polyamide	Polyamid
Viti: Acciaio inox	Screws: Stainless steel	Schrauben: Edelstahl
Dadi: ferro zincato	Nuts: zinc plated steel	Mutter: verzinkter Stahl




Ruota rinvio divisa, fresata / Split idler sprocket, machined / geteiltes Umlenkrad, gefräst

Part	Article-Nr.	Z-	Bore	PD	OD
565	56550	8	20	172,0	166,0
566	56650	10	20	215,0	205,0
567	56750	12	20	256,0	246,0
568	56850	14	20	297,0	286,0

For adequate quantities these sprockets can be delivered with finished bore.





Movex S.r.l. Industrial Innovations
 Via Tasso (angolo Via Noli Marenzi)
 24060 Telgate (Bergamo) - Italy
 Phone +39.035.8359711
 Fax +39.035.4420873



Movex GmbH Industrial Innovations
 Alfred-Nobel-Strasse, 4
 68519 Viernheim - Germany
 Phone +49.(0)6204.9375-0
 Fax +49.(0)6204.9375-55



Movex Industrial Innovations UK Ltd.
 Unit 7, Dene Valley Business Centre
 Kineton CV35 0JD, Warwickshire - UK
 Phone +44.1926.642933



Movex France - Sales Office
 Phone +33.06.06.81.99.76
 Fax +33.09.70.62.50.98




Movex Nederland - Sales Office
 Phone +31.(0)630.99.48.50



Movex Singapore - Sales Office
 Phone +65.9815.0482

www.movexii.com

2013.1



 **Movex**
Industrial Innovations

www.movexii.com



Chain idler wheels

Series 815



pag. 42

Series 815



pag. 42

Series 805




pag. 43


Series 881



pag. 44



Suitable also for series
881M - 820 - 831 - 828
879/879M - 880/880M



Ruota rinvio liscia, divisa, stampata / Split idler wheel, molded / geteilte Umlenkrolle, gespritzt

Materiale:	Material:	Materialien:
Poliammide	Polyamide	Polyamid
Viti: Acciaio inox	Screws: Stainless steel	Schrauben: Edelstahl
Dadi: ferro zincato per fresate	Nuts: zinc plated steel for machined	Mutter: verzinkter Stahl für gefräste Version
Dadi: ottone nichelato per stampate	Nuts: nickel plated brass for molded	Mutter: Messing vernickelt für gespritzt Version

Ruota rinvio liscia, divisa, fresata / Split idler wheel, machined / geteilte Umlenkrolle, gefräst

Part	Article-Nr.	ecq.	Z-	Bore	OD	ID
601	60100	17	20	104,0	75,2	
601	60101		25			
601	60102		30			
601	60103		35			
601	60104		40			
602	60200	19	20	117,0	92,2	
602	60201		25			
602	60202		30			
602	60203		35			
602	60204		40			
603	60300	21	20	129,8	105,0	
603	60301		25			
603	60302		30			
603	60303		35			
603	60304		40			
604	60400	23	20	142,2	111,3	
604	60401		25			
604	60402		30			
604	60403		35			
604	60404		40			
605	60500	25	20	154,7	124,7	
605	60501		25			
605	60502		30			
605	60503		35			
605	60504		40			
606	60600	27	20	167,2	135,0	
606	60601		25			
606	60602		30			
606	60603		35			
606	60604		40			
607	60700	29	20	179,3	140,0	
607	60701		25			
607	60702		30			
607	60703		35			
607	60704		40			


Part	Article-Nr.	ecq.	Z-	Bore	OD	ID
608	60801	21	25	129,8	94,8	
608	60802		30			
608	60803		35			
608	60804		40			
609	60901	23	25	142,2	99,3	
609	60902		30			
609	60903		35			
609	60904		40			
610	61001	25	25	154,7	102,0	
610	61002		30			
610	61003		35			
610	61004		40			

Suitable also for series
881M - 820 - 831 - 828
879/879M - 880/880M

Materiale:	Material:	Materialien:
Poliammide	Polyamide	Polyamid
Viti: Acciaio inox	Screws: Stainless steel	Schrauben: Edelstahl
Dadi: ferro zincato	Nuts: zinc plated steel	Mutter: verzinkter Stahl

Ruota rinvio liscia, divisa, fresata / Split idler wheel, machined / geteilte Umlenkrolle, gefräst

Part	Article-Nr.	ecq. Z-	Bore	OD	ID
611	61100	17	20	104,0	75,2
611	61101		25		
611	61102		30		
611	61103		35		
611	61104		40		
612	61200	19	20	117,0	92,2
612	61201		25		
612	61202		30		
612	61203		35		
612	61204		40		
613	61300	21	20	129,8	105,0
613	61301		25		
613	61302		30		
613	61303		35		
613	61304		40		
614	61400	23	20	142,2	111,3
614	61401		25		
614	61402		30		
614	61403		35		
614	61404		40		
615	61500	25	20	154,7	124,7
615	61501		25		
615	61502		30		
615	61503		35		
615	61504		40		
616	61600	27	20	167,2	135,0
616	61601		25		
616	61602		30		
616	61603		35		
616	61604		40		
617	61700	29	20	179,3	140,0
617	61701		25		
617	61702		30		
617	61703		35		
617	61704		40		




881 Tab

Ruote Rinvio Fresate
Machined Idler Wheels
Gefräste Umlenkrolle




Ruota rinvio liscia, divisa, fresata / Split idler wheel, machined / geteilte Umlenkrolle, gefräst



Suitable also for series
882M - 8257

Materiale:	Material:	Materialien:
Poliammide	Polyamide	Polyamid
Viti: Acciaio inox	Screws: Stainless steel	Schrauben: Edelstahl
Dadi: ferro zincato	Nuts: zinc plated steel	Mutter: verzinkter Stahl

Part	Article-Nr.	ecq.	Z-	Bore	OD	ID
618	61800	17	20	104,0	75,2	
618	61801		25			
618	61802		30			
618	61803		35			
618	61804		40			
619	61900	19	20	117,0	92,2	
619	61901		25			
619	61902		30			
619	61903		35			
619	61904		40			
620	62000	21	20	129,8	105,0	
620	62001		25			
620	62002		30			
620	62003		35			
620	62004		40			
621	62100	23	20	142,2	111,3	
621	62101		25			
621	62102		30			
621	62103		35			
621	62104		40			
622	62200	25	20	154,7	124,7	
622	62201		25			
622	62202		30			
622	62203		35			
622	62204		40			
623	62300	27	20	167,2	135,0	
623	62301		25			
623	62302		30			
623	62303		35			
623	62304		40			
624	62400	29	20	179,3	140,0	
624	62401		25			
624	62402		30			
624	62403		35			
624	62404		40			



Movex S.r.l. Industrial Innovations
 Via Tasso (angolo Via Noli Marenzi)
 24060 Telgate (Bergamo) - Italy
 Phone +39.035.8359711
 Fax +39.035.4420873



Movex GmbH Industrial Innovations
 Alfred-Nobel-Strasse, 4
 68519 Viernheim - Germany
 Phone +49.(0)6204.9375-0
 Fax +49.(0)6204.9375-55



Movex Industrial Innovations UK Ltd.
 Unit 7, Dene Valley Business Centre
 Kineton CV35 0JD, Warwickshire - UK
 Phone +44.1926.642933



Movex France - Sales Office
 Phone +33.06.06.81.99.76
 Fax +33.09.70.62.50.98




Movex Nederland - Sales Office
 Phone +31.(0)630.99.48.50



Movex Singapore - Sales Office
 Phone +65.9815.0482


www.movexii.com

2013.1



 **Movex**
Industrial Innovations

www.movexii.com



Belt sprockets

Series 520



pag. 86

Series 520



pag. 86

Series 520



pag. 87

Series 520



pag. 87

Series 521



pag. 88

Series 521



pag. 88

Series 590



pag. 89

Series 590



pag. 89

Series 550



pag. 90

Series 550



pag. 90

Series 550



pag. 91

Series 550



pag. 91

Series 551



pag. 92

Series 551



pag. 92

Series 551



pag. 93

Series 551



pag. 93

Series 260M-260TAB



pag. 94

Series 260M-260TAB



pag. 94

Series 250M-251M



pag. 95

Series 250M-251M



pag. 95

Series 500RR




pag. 96

Materiale:	Material:	Materialien:
Poliammide	Polyamide	Polyamid
Viti: Acciaio inox	Screws: Stainless steel	Schrauben: Edelstahl
Dadi: ferro zincato	Nuts: zinc plated steel	Mutter: verzinkter Stahl




Ruota traino divisa, fresata / Split drive sprocket, machined / geteiltes Antriebskettenrad, gefräst



Part	Article-Nr.	z-	Bore	PD	OD
1501	150101	28	25	113,4	115,4
1501	150102		30		
1501	150103		35		
1501	150104		40		
1501	150106		25*25		
1501	150107		30*30		
1501	150108		40*40		
1502	150201	36	25	145,7	147,7
1502	150202		30		
1502	150203		35		
1502	150204		40		
1502	150206		25*25		
1502	150207		30*30		
1502	150208		40*40		
1503	150301	38	25	153,8	155,8
1503	150302		30		
1503	150303		35		
1503	150304		40		
1503	150306		25*25		
1503	150307		30*30		
1503	150308		40*40		
1504	150401	40	25	161,9	163,8
1504	150402		30		
1504	150403		35		
1504	150404		40		
1504	150406		25*25		
1504	150407		30*30		
1504	150408		40*40		



Ruota rinvio divisa, fresata / Split idler sprocket, machined / geteiltes Umlenkrad, gefräst




Part	Article-Nr.	z-	Bore	PD	OD
1501	150150	28	18*	113,4	115,4
1501	150151		25		
1501	150152		30		
1501	150153		35		
1501	150154		40		
1502	150250	36	18*	145,7	147,7
1502	150251		25		
1502	150252		30		
1502	150253		35		
1502	150254		40		
1503	150350	38	18*	153,8	155,8
1503	150351		25		
1503	150352		30		
1503	150353		35		
1503	150354		40		
1504	150450	40	18*	161,9	163,8
1504	150451		25		
1504	150452		30		
1504	150453		35		
1504	150454		40		

Materiale:	Material:	Materialien:
Poliammide rinforzato	Polyamide reinforced	Verstärktes Polyamid
Viti: Acciaio inox	Screws: Stainless steel	Schrauben: Edelstahl
Dadi: ottone nichelato	Nuts: nickel plated brass	Mutter: messing vernickelt


Ruota traino divisa, stampata / Split drive sprocket, molded / geteiltes Antriebskettenrad, gespritzt

Part	Article-Nr.	z-	Bore	PD	OD
1505	150501	24	25	97,3	99,3
1505	150502		30		
1505	150503		35		
1505	150504		40		
1505	150506		25*25		
1505	150507		30*30		
1505	150508		40*40		
1506	150601	28	25	113,4	115,4
1506	150602		30		
1506	150603		35		
1506	150604		40		
1506	150606		25*25		
1506	150607		30*30		
1506	150608		40*40		
1507	150701	36	25	145,7	147,7
1507	150702		30		
1507	150703		35		
1507	150704		40		
1507	150706		25*25		
1507	150707		30*30		
1507	150708		40*40		



Ruota rinvio divisa, stampata / Split idler sprocket, molded / geteiltes Umlenkrad, gespritzt


Part	Article-Nr.	z-	Bore	PD	OD
1505	150551	24	25	97,3	99,3
1505	150552		30		
1505	150553		35		
1505	150554		40		
1506	150651	28	25	113,4	115,4
1506	150652		30		
1506	150653		35		
1506	150654		40		
1507	150751	36	25	145,7	147,7
1507	150752		30		
1507	150753		35		
1507	150754		40		



Materiale:	Material:	Materialien:
Poliammide	Polyamide	Polyamid
Viti: Acciaio inox	Screws: Stainless steel	Schrauben: Edelstahl
Dadi: ferro zincato	Nuts: zinc plated steel	Mutter: verzinkter Stahl




Ruota traino divisa, fresata / Split drive sprocket, machined / geteiltes Antriebskettenrad, gefräst



Part	Article-Nr.	z-	Bore	PD	OD
1561	156101	28	25	113,4	115,4
1561	156102		30		
1561	156103		35		
1561	156104		40		
1561	156106		25*25		
1561	156107		30*30		
1561	156108		40*40		
1562	156201	36	25	145,7	147,7
1562	156202		30		
1562	156203		35		
1562	156204		40		
1562	156206		25*25		
1562	156207		30*30		
1562	156208		40*40		
1563	156301	38	25	153,8	155,8
1563	156302		30		
1563	156303		35		
1563	156304		40		
1563	156306		25*25		
1563	156307		30*30		
1563	156308		40*40		
1564	156401	40	25	161,9	163,8
1564	156402		30		
1564	156403		35		
1564	156404		40		
1564	156406		25*25		
1564	156407		30*30		
1564	156408		40*40		



Ruota rinvio divisa, fresata / Split idler sprocket, machined / geteiltes Umlenkrad, gefräst





Part	Article-Nr.	z-	Bore	PD	OD
1561	156150	28	18*	113,4	115,4
1561	156151		25		
1561	156152		30		
1561	156153		35		
1561	156154		40		
1562	156250	36	18*	145,7	147,7
1562	156251		25		
1562	156252		30		
1562	156253		35		
1562	156254		40		
1563	156350	38	18*	153,8	155,8
1563	156351		25		
1563	156352		30		
1563	156353		35		
1563	156354		40		
1564	156450	40	18*	161,9	163,8
1564	156451		25		
1564	156452		30		
1564	156453		35		
1564	156454		40		

Materiale:	Material:	Materialien:
Poliammide	Polyamide	Polyamid
Viti: Acciaio inox	Screws: Stainless steel	Schrauben: Edelstahl
Dadi: ferro zincato	Nuts: zinc plated steel	Mutter: verzinkter Stahl



Ruota traino divisa, fresata / Split drive sprocket, machined / geteiltes Antriebskettenrad, gefräst

Part	Article-Nr.	z-	Bore	PD	OD
1511	151101	17	25	100,7	103,4
1511	151102		30		
1511	151103		35		
1511	151104		40		
1511	151106		25*25		
1511	151107		30*30		
1511	151108		40*40		
1512	151201	21	25	126	128,7
1512	151202		30		
1512	151203		35		
1512	151204		40		
1512	151206		25*25		
1512	151207		30*30		
1512	151208		40*40		
1513	151301	24	25	142,9	145,6
1513	151302		30		
1513	151303		35		
1513	151304		40		
1513	151306		25*25		
1513	151307		30*30		
1513	151308		40*40		
1514	151401	25	25	149	151,7
1514	151402		30		
1514	151403		35		
1514	151404		40		
1514	151406		25*25		
1514	151407		30*30		
1514	151408		40*40		



Ruota rinvio divisa, fresata / Split idler sprocket, machined / geteiltes Umlenkrad, gefräst


Part	Article-Nr.	z-	Bore	PD	OD
1511	151150	17	18*	100,7	103,4
1511	151151		25		
1511	151152		30		
1511	151153		35		
1511	151154		40		
1512	151250	21	18*	126	128,7
1512	151251		25		
1512	151252		30		
1512	151253		35		
1512	151254		40		
1513	151350	24	18*	142,9	145,6
1513	151351		25		
1513	151352		30		
1513	151353		35		
1513	151354		40		
1514	151450	25	18*	149	151,7
1514	151451		25		
1514	151452		30		
1514	151453		35		
1514	151454		40		



Materiale:	Material:	Materialien:
Poliammide	Polyamide	Polyamid
Viti: Acciaio inox	Screws: Stainless steel	Schrauben: Edelstahl
Dadi: ferro zincato	Nuts: zinc plated steel	Mutter: verzinkter Stahl




Ruota traino divisa, fresata / Split drive sprocket, machined / geteiltes Antriebskettenrad, gefräst



Part	Article-Nr.	z-	Bore	PD	OD
1521	152101	14	25	114,1	114
1521	152102		30		
1521	152103		35		
1521	152104		40		
1521	152106		25*25		
1521	152107		30*30		
1521	152108		40*40		
1522	152201	16	25	130,2	130
1522	152202		30		
1522	152203		35		
1522	152204		40		
1522	152206		25*25		
1522	152207		30*30		
1522	152208		40*40		
1523	152301	18	25	146,3	146
1523	152302		30		
1523	152303		35		
1523	152304		40		
1523	152306		25*25		
1523	152307		30*30		
1523	152308		40*40		
1524	152401	20	25	162,4	162
1524	152402		30		
1524	152403		35		
1524	152404		40		
1524	152406		25*25		
1524	152407		30*30		
1524	152408		40*40		



Ruota rinvio divisa, fresata / Split idler sprocket, machined / geteiltes Umlenkrad, gefräst





Part	Article-Nr.	z-	Bore	PD	OD
1521	152150	14	18*	114,1	114
1521	152151		25		
1521	152152		30		
1521	152153		35		
1521	152154		40		
1522	152250	16	18*	130,2	130
1522	152251		25		
1522	152252		30		
1522	152253		35		
1522	152254		40		
1523	152350	18	18*	146,3	146
1523	152351		25		
1523	152352		30		
1523	152353		35		
1523	152354		40		
1524	152450	20	18*	162,4	162
1524	152451		25		
1524	152452		30		
1524	152453		35		
1524	152454		40		

Materiale:	Material:	Materialien:
Poliammide rinforzato	Polyamide reinforced	Verstärktes Polyamid
Viti: Acciaio inox	Screws: Stainless steel	Schrauben: Edelstahl
Dadi: ottone nichelato	Nuts: nickel plated brass	Mutter: messing vernickelt



Ruota traino divisa, stampata / Split drive sprocket, molded / geteiltes Antriebskettenrad, gespritzt



Part	Article-Nr.	z-	Bore	PD	OD
1525	152501	14	25	114,1	114
1525	152502		30		
1525	152503		35		
1525	152504		40		
1525	152506		25*25		
1525	152507		30*30		
1525	152508		40*40		
1526	152601	16	25	130,2	130
1526	152602		30		
1526	152603		35		
1526	152604		40		
1526	152606		25*25		
1526	152607		30*30		
1526	152608		40*40		
1527	152701	18	25	146,3	146
1527	152702		30		
1527	152703		35		
1527	152704		40		
1527	152706		25*25		
1527	152707		30*30		
1527	152708		40*40		
1528	152801	20	25	162,4	162
1528	152802		30		
1528	152803		35		
1528	152804		40		
1528	152806		25*25		
1528	152807		30*30		
1528	152808		40*40		



Ruota rinvio divisa, stampata / Split idler sprocket, molded / geteiltes Umlenkrad, gespritzt

Part	Article-Nr.	z-	Bore	PD	OD
1525	152551	14	25	114,1	114
1525	152552		30		
1525	152553		35		
1525	152554		40		
1526	152651	16	25	130,2	130
1526	152652		30		
1526	152653		35		
1526	152654		40		
1527	152751	18	25	146,3	146
1527	152752		30		
1527	152753		35		
1527	152754		40		
1528	152851	20	25	162,4	162
1528	152852		30		
1528	152853		35		
1528	152854		40		







Ruota traino divisa, fresata / Split drive sprocket, machined / geteiltes Antriebskettenrad, gefräst

Materiale:	Material:	Materialien:
Poliammide	Polyamide	Polyamid
Viti: Acciaio inox	Screws: Stainless steel	Schrauben: Edelstahl
Dadi: ferro zincato	Nuts: zinc plated steel	Mutter: verzinkter Stahl

Part	Article-Nr.	z-	Bore	PD	OD
1531	153101	14	25	114,2	113,5
1531	153102		30		
1531	153103		35		
1531	153104		40		
1531	153106		25*25		
1531	153107		30*30		
1531	153108		40*40		
1532	153201	16	25	130,2	129
1532	153202		30		
1532	153203		35		
1532	153204		40		
1532	153206		25*25		
1532	153207		30*30		
1532	153208		40*40		
1533	153301	18	25	146,3	145,3
1533	153302		30		
1533	153303		35		
1533	153304		40		
1533	153306		25*25		
1533	153307		30*30		
1533	153308		40*40		
1534	153401	20	25	162,4	161,7
1534	153402		30		
1534	153403		35		
1534	153404		40		
1534	153406		25*25		
1534	153407		30*30		
1534	153408		40*40		





Ruota rinvio divisa, fresata / Split idler sprocket, machined / geteiltes Umlenkrad, gefräst

Part	Article-Nr.	z-	Bore	PD	OD
1531	153150	14	18*	114,2	114
1531	153151		25		
1531	153152		30		
1531	153153		35		
1531	153154		40		
1532	153250	16	18*	130,2	129
1532	153251		25		
1532	153252		30		
1532	153253		35		
1532	153254		40		
1533	153350	18	18*	146,3	145,3
1533	153351		25		
1533	153352		30		
1533	153353		35		
1533	153354		40		
1534	153450	20	18*	162,4	161,7
1534	153451		25		
1534	153452		30		
1534	153453		35		
1534	153454		40		

Materiale:	Material:	Materialien:
Poliammide rinforzato	Polyamide reinforced	Verstärktes Polyamid
Viti: Acciaio inox	Screws: Stainless steel	Schrauben: Edelstahl
Dadi: ottone nichelato	Nuts: nickel plated brass	Mutter: messing vernickelt



Ruota traino divisa, stampata / Split drive sprocket, molded / geteiltes Antriebskettenrad, gespritzt

Part	Article-Nr.	z-	Bore	PD	OD
1535	153501	14	25	114,2	114
1535	153502		30		
1535	153503		35		
1535	153504		40		
1535	153506		25*25		
1535	153507		30*30		
1535	153508		40*40		
1536	153601	16	25	130,2	129
1536	153602		30		
1536	153603		35		
1536	153604		40		
1536	153606		25*25		
1536	153607		30*30		
1536	153608		40*40		
1537	153701	18	25	146,3	145,3
1537	153702		30		
1537	153703		35		
1537	153704		40		
1537	153706		25*25		
1537	153707		30*30		
1537	153708		40*40		
1538	153801	20	25	162,4	161,7
1538	153802		30		
1538	153803		35		
1538	153804		40		
1538	153806		25*25		
1538	153807		30*30		
1538	153808		40*40		



Ruota rinvio divisa, stampata / Split idler sprocket, molded / geteiltes Umlenkrad, gespritzt



Part	Article-Nr.	z-	Bore	PD	OD
1535	153551	14	25	114,2	114
1535	153552		30		
1535	153553		35		
1535	153554		40		
1536	153651	16	25	130,2	129
1536	153652		30		
1536	153653		35		
1536	153654		40		
1537	153751	18	25	146,3	145,3
1537	153752		30		
1537	153753		35		
1537	153754		40		
1538	153851	20	25	162,4	161,7
1538	153852		30		
1538	153853		35		
1538	153854		40		



Materiale:	Material:	Materialien:
Poliammide	Polyamide	Polyamid
Viti: Acciaio inox	Screws: Stainless steel	Schrauben: Edelstahl
Dadi: ferro zincato	Nuts: zinc plated steel	Mutter: verzinkter Stahl





Ruota traino divisa, fresata / Split drive sprocket, machined / geteiltes Antriebskettenrad, gefräst



Part	Article-Nr.	z-	Bore	PD	OD
1541	154101	16	25	128,9	130,9
1541	154102		30		
1541	154103		35		
1541	154104		40		
1542	154201	18	25	144,8	146,8
1542	154202		30		
1542	154203		35		
1542	154204		40		
1543	154301	19	25	154,3	156,3
1543	154302		30		
1543	154303		35		
1543	154304		40		



Ruota rinvio divisa, fresata / Split idler sprocket, machined / geteiltes Umlenkrad, gefräst




Part	Article-Nr.	z-	Bore	PD	OD
1541	154150	16	18*	128,9	130,9
1541	154151		25		
1541	154152		30		
1541	154153		35		
1541	154154		40		
1542	154250	18	18*	144,8	146,8
1542	154251		25		
1542	154252		30		
1542	154253		35		
1542	154254		40		
1543	154350	19	18*	154,3	156,3
1543	154351		25		
1543	154352		30		
1543	154353		35		
1543	154354		40		

Materiale:	Material:	Materialien:
Poliammide rinforzato	Polyamide reinforced	Verstärktes Polyamid
Viti: Acciaio inox	Screws: Stainless steel	Schrauben: Edelstahl
Dadi: ottone nichelato	Nuts: nickel plated brass	Mutter: Messing vernickelt


Ruota traino divisa, stampata / Split drive sprocket, molded / geteiltes Antriebskettenrad, gespritzt

Part	Article-Nr.	z-	Bore	PD	OD
1545	154501	16	25	128,9	130,9
1545	154502		30		
1545	154503		35		
1545	154504		40		
1545	154506		25*25		
1545	154507		30*30		
1545	154508		40*40		
1546	154601	18	25	144,8	146,8
1546	154602		30		
1546	154603		35		
1546	154604		40		
1546	154606		25*25		
1546	154607		30*30		
1546	154608		40*40		
1547	154701	19	25	154,3	156,3
1547	154702		30		
1547	154703		35		
1547	154704		40		
1547	154706		25*25		
1547	154707		30*30		
1547	154708		40*40		



Ruota rinvio divisa, stampata / Split idler sprocket, molded / geteiltes Umlenkrad, gespritzt

Part	Article-Nr.	z-	Bore	PD	OD
1545	154551	16	25	128,9	130,9
1545	154552		30		
1545	154553		35		
1545	154554		40		
1546	154651	18	25	144,8	146,8
1546	154652		30		
1546	154653		35		
1546	154654		40		
1547	154751	19	25	154,3	156,3
1547	154752		30		
1547	154753		35		
1547	154754		40		





Materiale:	Material:	Materialien:
Poliamide rinforzato	Polyamide reinforced	Verstärktes Polyamid



Ruota traino, stampata / Drive sprocket, molded / Antriebskettenrad, gespritzt

Part	Article-Nr.	z-	Bore	PD	OD
1559	155104	10	Ø40	164,4	163,1
1559	155309	13	90x90	212,3	209
1559	155310		Ø90		
1559	155908	16	65x65	260,4	262
1559	155909		90x90		





Movex S.r.l. Industrial Innovations
 Via Tasso (angolo Via Noli Marenzi)
 24060 Telgate (Bergamo) - Italy
 Phone +39.035.8359711
 Fax +39.035.4420873



Movex GmbH Industrial Innovations
 Alfred-Nobel-Strasse, 4
 68519 Viernheim - Germany
 Phone +49.(0)6204.9375-0
 Fax +49.(0)6204.9375-55



Movex Industrial Innovations UK Ltd.
 Unit 7, Dene Valley Business Centre
 Kineton CV35 0JD, Warwickshire - UK
 Phone +44.1926.642933



Movex France - Sales Office
 Phone +33.06.06.81.99.76
 Fax +33.09.70.62.50.98



Movex Nederland - Sales Office
 Phone +31.(0)630.99.48.50



Movex Singapore - Sales Office
 Phone +65.9815.0482

www.movexii.com